



Travelers Industrial Hygiene Laboratory

90 Lambertson Road
Windsor, CT 06095

Phone: 860-687-7400 Fax: 860-687-7430

Help Line: 1-800-842-0355

travelerslab.com

- Standard Turn-Around Time (5 Business Days)
- 3 Business Day RUSH (50% surcharge is applied.)
- 2 Business Day RUSH (100% surcharge is applied.)
- 1 Business Day RUSH (200% surcharge is applied.)

**ALL RUSH REQUESTS MUST BE AUTHORIZED PRIOR TO SAMPLE SUBMISSION
LAB CONTACT WHO AUTHORIZED RUSH REQUEST:**

SEND REPORT TO:

Check if change of address

Name: _____
Company: _____
Address: _____
City, State, Zip: _____
Phone #: _____
Fax #: _____
E-Mail Address: _____

SEND INVOICE TO:

Check if same as Send Report To

Name: _____
Company: _____
Address: _____
City, State, Zip: _____
Phone/Fax #: _____
E-Mail Address: _____
PO #: _____

Call for Credit Card Information (MasterCard or Visa)

Survey Date:

Location Sampled:

Shift Duration:

(hours)

Sample or Filter #	Sample Description or Person Sampled	Job Task (please choose one)	Sampling Media (please choose one)	Sampling Time			Flow Rates (LPM)			Flow Rate Used	Sample Volume Liters	Analyte(s) Requested (review analyte compatibility codes in the Travelers Air Sampling Guidelines)
				Start (i.e. 7:33)	Stop (i.e. 16:08)	Total Minutes Sampled	Pre	Post	Average			
1539-1296	J. Example	Welding	PVC Filter-Preweighed	08:35	15:45	430	2.450	2.350	2.400	2.400	1032.0	Total particulate, 13 welding fume metals

Notes: 1. Enter the Start and Stop Times using military format (8:35 am = 08:35, 3:45 pm = 15:45, do not exceed 24 hours) 2. Enter the Pump Flow Rate in Liters per minute

* An asterisk indicates that the pump flow rate changed by more than 5%. When this happens, we recommend that the lower flow rate be used to calculate the sample air volume.

Submitted by	Print Name	Signature	Date
Received by (LAB)			
Special Instructions: (Please List Any)			

PLEASE SAVE THIS DATA SHEET FOR REFERENCE.

PRINT AND SEND A COPY WITH THE SAMPLES AND EMAIL A COPY TO TICHLAB@Travelers.com.